



中荣公司窗帘网、环网安装手册

The Installation Manual for Curtain Mesh&Ring Mesh

1.概述(General)

尊敬的用户，感谢您选用中荣公司的产品。

Dear Clients,thanks for chose BZ company's products.

为了使我们的环网和窗帘网更便于使用，我们编制了本文件指导您的安装。

In order to make it more convenient to use our curtain mesh&ring mesh,we made this installation manual for you to provide installation guidance.

本文件包含安装使用的配件和安装方法内容。

This manual including the introduction about accessories and installation methods.

2.主要配件(Accessories)

2.1 轨道(Track)



2.2 滑轮(Sliders)



2.3 固定螺丝(Clamping screws)





2.4 固定链条(Clamping chains)



2.5 轨道封闭件(Track seal accessories)



2.6 吊码(Hangers)





3.安装方法(Installation methods)

3.1 边缘安装(Installation from one side)




从网的一侧开始安装，首先将固定螺丝穿过网孔。

Start the installation from one side,first make the screw through the mesh.



将滑轮上的金属环穿过螺丝。

Make the metal ring on the slider through the screw.



用链条穿过螺丝，并拧紧螺母。

Make the clamping chains through the screw,then fix the nut.

完成边缘的固定。

The installation of the side is finished.



3.2 安装其他的滑轮(Install other sliders)



沿着窗帘网量出 15cm，作为下一个螺丝的固定点。

Measure 15cm along the mesh, as the next point to fix the screw.



沿着链条量出 10cm，作为下一个螺丝的固定点。

Measure 10cm along the clamping chains, as the next point to fix the screw.



在上述两个点的位置穿过螺丝。

Make the screw through the two points.



安装好滑轮，并固定。
Install the slider and fix the nut.



重复上面的操作直至装好所有滑轮。
Repeat the operation until all the sliders installed.

备注：在大多数时候，我们会帮客户完成 3.1-3.2 的操作，不需要客户自行安装滑轮。

REMARK: MOST TIME WE WILL FINISH THE OPERATION 3.1-3.2 BEFORE DELIVERY.

3.3 安装轨道(Install the track)



将滑轮依次装入轨道。
Install the sliders into the track one by one.



完成轨道的安装。
Then finish the installation of tracks.



3.4 轨道密封(Seal the track)



将轨道封闭件安装在轨道的两侧。

Cover the two sides of the track, using seal accessories.



旋紧轨道封闭件上的螺丝，将其固定。

Screw tight the bolt and fix it.



将固定链条安装在轨道封闭件上。

Fix the clamping chains to the seal accessories.



轨道密封完成。

Finished the seal.

3.4 安装吊码(Install the hanger)



将吊码挂钩勾住轨道边缘。

Hook the side of track using the hangers.



将吊码另一端直接压入轨道

Press the other side into the track directly.



3.5 安装完成(Finished)

